



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

67-101 - Red LED Exit Sign, 90min Ni-Cad backup, 120/277V, Single/Dual Face, Universal Mounting; White Finish

- Has Emergency Battery



ELECTRICAL

Technology:	LED
Watts:	2.5W
Volts:	120V/277V
Lamp Base :	Integrated - Integrated
Dimmable:	Non-Dimmable -
Operating Temperature :	+50F to +104F (+10C to +40C)
Lamp Included :	Integrated
Replaceable Light Source :	No
Surge Protection :	Built-in surge protection - 3KV
Voltage Type:	AC Only; Dual Voltage
Warranty:	2-Years

PACKAGING

Each UPC:	045923675683
Each Quantity:	1
Each Dimensions:	12.05 x 2.36 x 7.48

PHYSICAL

Finish:	White
Dimensions:	W:11.81" H:7.25" D:1.81"
Weight (Lbs.):	2.3
Material:	Thermo Plastic
Depth:	1.81

COMPLIANCE

Safety Listing:	ULus - Certified; ULus - Listed
Location Rating:	Damp
Indoor/Outdoor:	Indoor
DLC Approved:	No
CA Prop 65:	Lead
BAA Compliant:	No
FCC Compliant:	Yes
RoHS Compliant:	Yes
Restrictions:	No Restrictions

INFO

Additional Info:	Input Wattage: 2.5W; Output Wattage: 0.4W; Energy Used in Maintenance Mode: 2.5W
Specification Note:	UL94V-0, Thermoplastic, 2.4V AA300mAh Ni-Cad Battery, 90 minutes duration, 24 hour charge time, 10C-40C; Letter Height: 6 in.; Letter Stroke: 0.75 in.
Includes:	Mounting hardware and accessories

ACCESSORIES

	67-900	Pendant suspension mounting kit including one 1/4IPS x 12in long white threaded stem, one 4-3/8in round white swivel canopy cover and lock nuts
	67-901	Pendant suspension mounting kit including one 1/4IPS x 12in long black threaded stem, one 4-3/8in round black swivel canopy cover and lock nuts
	67-902	Pendant suspension mounting kit including one 1/4IPS x 12in long silver threaded stem, one 4-3/8in round silver swivel canopy cover and lock nuts
	67-910	Pendant suspension extension kit including one 1/4IPS x 6in long white threaded stem, one 1/4IPS coupler
	67-911	Pendant suspension extension kit including one 1/4IPS x 6in long black threaded stem, one 1/4IPS coupler
	67-912	Pendant suspension extension kit including one 1/4IPS x 6in long silver threaded stem, one 1/4IPS coupler
	67-915	Pendant suspension extension kit including one 1/4IPS x 12in long white threaded stem, one 1/4IPS coupler
	67-916	Pendant suspension extension kit including one 1/4IPS x 12in long black threaded stem, one 1/4IPS coupler
	67-917	Pendant suspension extension kit including one 1/4IPS x 12in long silver threaded stem, one 1/4IPS coupler



67-101 - Red LED Exit Sign, 90min Ni-Cad backup, 120/277V, Single/Dual Face, Universal Mounting; White Finish

ACCESSORIES

Pendant Conversion Kit:	67-902
-------------------------	--------